




Tên hàng		In (A)		Mô tả	Đơn giá (VNĐ)	
<b>Starvert iE5 1 Pha 200~300VAC</b>		<b>HD</b>	<b>ND</b>	<b>: V/f control, đã tích hợp bàn phím</b>		
 <b>iE5-2</b>	SV001IE5-1	0.1KW	0.8A	-	0.1kW(1/8HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz	1,610,000
	SV002IE5-1	0.2KW	1.4A	-	0.2kW(1/4HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz	1,700,000
	SV004IE5-1	0.4KW	2.5A	-	0.4kW(1/2HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz	1,760,000
	SV001IE5-1C	0.1KW	0.8A	-	0.1kW(1/8HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz, tích hợp RS485(Modbus RTU)	1,760,000
	SV002IE5-1C	0.2KW	1.4A	-	0.2kW(1/4HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz, tích hợp RS485(Modbus RTU)	1,820,000
	SV004IE5-1C	0.4KW	2.5A	-	0.4kW(1/2HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz, tích hợp RS485(Modbus RTU)	1,910,000
<b>Starvert iE5 3 Pha 200~300VAC</b>		<b>HD</b>	<b>ND</b>	<b>: V/f control, đã tích hợp bàn phím</b>		
 <b>iE5-2</b>	SV001IE5-2	0.1KW	0.8A	-	0.1kW(1/8HP), 3 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz	1,700,000
	SV002IE5-2	0.2KW	1.6A	-	0.2kW(1/4HP), 3 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz	1,760,000
	SV004IE5-2	0.4KW	1.14A	-	0.4kW(1/2HP), 3 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz	1,850,000
	SV001IE5-2C	0.1KW	0.8A	-	0.1kW(1/8HP), 3 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz, tích hợp RS485(Modbus RTU)	1,820,000
	SV002IE5-2C	0.2KW	1.6A	-	0.2kW(1/4HP), 3 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz, tích hợp RS485(Modbus RTU)	1,880,000
	SV004IE5-2C	0.4KW	1.14A	-	0.4kW(1/2HP), 3 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz, tích hợp RS485(Modbus RTU)	1,970,000
<b>Starvert iC5 1 Pha 200~230VAC</b>		<b>HD</b>	<b>ND</b>	<b>: V/f, sensorless vector control, đã tích hợp bàn phím</b>		
 <b>iC5-1</b>	SV004iC5-1	0.4KW	2.5A	-	0.4kW(1/2HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~400Hz	2,330,000
	SV008iC5-1	0.75KW	5A	-	0.75kW(1HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~400Hz	2,480,000
	SV015iC5-1	1.5KW	8A	-	1.5kW(2HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~400Hz	2,920,000
	SV022iC5-1	2.2KW	12A	-	2.2kW(3HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~400Hz	3,190,000
	SV004iC5-1F	0.4KW	2.5A	-	0.4kW(1/2HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bộ lọc EMC	2,450,000
	SV008iC5-1F	0.75KW	5A	-	0.75kW(1HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bộ lọc EMC	2,570,000
	SV015iC5-1F	1.5KW	8A	-	1.5kW(2HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bộ lọc EMC	3,100,000
	SV022iC5-1F	2.2KW	12A	-	2.2kW(3HP), 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bộ lọc EMC	3,400,000

Starvert iG5A (Standard type) 1 pha 200~230VAC			HD	ND	V/f, sensorless vector control, built-in brake unit, RS485 (LS Bus / Modbus RTU)	
 <b>iG5A-1</b>	SV004IG5A-1	0.4KW	2.5A	-	0.4kW(1/2HP), 1 pha, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	<b>3,280,000</b>
	SV008IG5A-1	0.75KW	5A	-	0.75kW(1HP), 1 pha, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	<b>3,520,000</b>
	SV015IG5A-1	1.5KW	8A	-	1.5kW(2HP), 1 pha, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	<b>3,970,000</b>
Starvert iG5A (Standard type) 3 pha 200~230VAC			HD	ND	V/f, sensorless vector control, built-in brake unit, RS485 (LS Bus / Modbus RTU)	
 <b>iG5A-2</b>	SV004IG5A-2	0.4 KW	2.5A	-	0.4kW(1/2HP), 3 pha, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	<b>2,980,000</b>
	SV008IG5A-2	0.75 KW	5A	-	0.75kW(1HP), 3 pha, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	<b>3,220,000</b>
	SV015IG5A-2	1.5 KW	8A	-	1.5kW(2HP), 3 pha, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	<b>3,730,000</b>
	SV022IG5A-2	2.2KW	12A	-	2.2kW(3HP), 3 pha, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	<b>4,300,000</b>
	SV037IG5A-2	3.7KW	16A	-	3.7kW(5HP), 3 pha, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	<b>4,860,000</b>
	SV040IG5A-2	4KW	17A	-	4.0kW(5.4HP), 3 pha, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	<b>4,860,000</b>
	SV055IG5A-2	5.5KW	24A	-	5.5kW(7.5HP), 3 pha, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	<b>7,280,000</b>
	SV075IG5A-2	7.5KW	32A	-	7.5kW(10HP), 3 pha, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	<b>8,150,000</b>
	SV110IG5A-2	11KW	46A	-	11kW(15HP), 3 pha, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	<b>14,950,000</b>
	SV150IG5A-2	15KW	60A	-	15kW(20HP), 3 pha, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	<b>17,250,000</b>
	SV185IG5A-2	18.5KW	74A	-	18.5kW(25HP), 3 pha, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	<b>19,870,000</b>
SV220IG5A-2	22KW	88A	-	22kW(30HP), 3 pha, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	<b>23,580,000</b>	
Starvert iG5A (Standard type) 3 pha 380~480VAC			HD	ND	V/f, sensorless vector control, built-in brake unit, RS485 (LS Bus / Modbus RTU)	
 <b>iG5A-4</b>	SV004IG5A-4	0.4 KW	1.25A	-	0.4kW(1/2HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	<b>3,200,000</b>
	SV008IG5A-4	0.75 KW	2.5A	-	0.75kW(1HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	<b>3,380,000</b>
	SV015IG5A-4	1.5 KW	4A	-	1.5kW(2HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	<b>3,710,000</b>
	SV022IG5A-4	2.2KW	6A	-	2.2kW(3HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	<b>4,220,000</b>
	SV037IG5A-4	3.7KW	8A	-	3.7kW(5HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	<b>5,020,000</b>
	SV040IG5A-4	4.0KW	9A	-	4.0kW(5.4HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	<b>5,020,000</b>
	SV055IG5A-4	5.5KW	12A	-	5.5kW(7.5HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	<b>7,060,000</b>
	SV075IG5A-4	7.5KW	16A	-	7.5kW(10HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	<b>7,710,000</b>
	SV110IG5A-4	11KW	24A	-	11kW(15HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	<b>13,400,000</b>
	SV150IG5A-4	15KW	30A	-	15kW(20HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	<b>14,580,000</b>
	SV185IG5A-4	18.5KW	39A	-	18.5kW(25HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	<b>17,310,000</b>
	SV220IG5A-4	22KW	45A	-	22kW(30HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	<b>18,800,000</b>
Starvert iP5A (based on new flatform) 3 pha 380~480VAC			HD	ND	: v/f, sensorless vector control, VT drive, RS485(LS Bus)	
	SV055IP5A-4NE	5.5KW		12A	5.5kW(7.5HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz	<b>7,820,000</b>
	SV075IP5A-4NE	7.5KW		16A	7.5kW(10HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz	<b>8,960,000</b>
	SV110IP5A-4NE	11KW		24A	11kW(15HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz	<b>9,720,000</b>



ip5A-4

4NE, 4O, 4NO, 4NOL

<b>SV150IP5A-4NO</b>	15KW		<b>30A</b>	15kW(20HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz	<b>15,030,000</b>
<b>SV185IP5A-4NO</b>	18.5KW		<b>39A</b>	18.5kW(25HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz	<b>16,640,000</b>
<b>SV220IP5A-4NO</b>	22KW		<b>45A</b>	22kW(30HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz	<b>20,580,000</b>
<b>SV300IP5A-4NO</b>	30KW		<b>61A</b>	30kW(40HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz	<b>23,300,000</b>
<b>SV370IP5A-4O</b>	37KW		<b>75A</b>	37kW(50HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz, tích hợp bàn phím	<b>34,870,000</b>
<b>SV450IP5A-4O</b>	45KW		<b>91A</b>	45kW(60HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz, tích hợp bàn phím	<b>37,850,000</b>
<b>SV550IP5A-4O</b>	55KW		<b>110A</b>	55kW(75HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz, tích hợp bàn phím	<b>44,760,000</b>
<b>SV750IP5A-4O</b>	75KW		<b>152A</b>	75kW(100HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz, tích hợp bàn phím	<b>49,580,000</b>
<b>SV900IP5A-4O</b>	90KW		<b>183A</b>	90kW(125HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz, tích hợp bàn phím	<b>58,800,000</b>
<b>SV220IP5A-4NOL</b>	22KW		<b>45A</b>	22kW(30HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz, tích hợp cuộn kháng DC	<b>22,510,000</b>
<b>SV300IP5A-4NOL</b>	30KW		<b>61A</b>	30kW(40HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz, tích hợp cuộn kháng DC	<b>25,320,000</b>
<b>SV370IP5A-4OL</b>	37KW		<b>75A</b>	37kW(50HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz, tích hợp bàn phím, tích hợp cuộn kháng DC	<b>38,730,000</b>
<b>SV450IP5A-4OL</b>	45KW		<b>91A</b>	45kW(60HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz, tích hợp bàn phím, tích hợp cuộn kháng DC	<b>43,090,000</b>
<b>SV550IP5A-4OL</b>	55KW		<b>110A</b>	55kW(75HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz, tích hợp bàn phím, tích hợp cuộn kháng DC	<b>50,940,000</b>
<b>SV750IP5A-4OL</b>	75KW		<b>152A</b>	75kW(100HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz, tích hợp bàn phím, tích hợp cuộn kháng DC	<b>56,930,000</b>
<b>SV900IP5A-4OL</b>	90KW		<b>183A</b>	90kW(125HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz, tích hợp bàn phím, tích hợp cuộn kháng DC	<b>64,550,000</b>
<b>SV1100IP5A-4OL</b>	110KW		<b>223A</b>	110kW(150HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz, tích hợp bàn phím, tích hợp cuộn kháng DC	<b>90,380,000</b>
<b>SV1320IP5A-4OL</b>	132KW		<b>264A</b>	132kW(175HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz, tích hợp bàn phím, tích hợp cuộn kháng DC	<b>95,940,000</b>
<b>SV1600IP5A-4OL</b>	160KW		<b>325A</b>	160kW(215HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz, tích hợp bàn phím, tích hợp cuộn kháng DC	<b>106,340,000</b>
<b>SV2200IP5A-4OL</b>	220KW		<b>432A</b>	220kW(300HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz, tích hợp bàn phím, tích hợp cuộn kháng DC	<b>150,030,000</b>
<b>SV2800IP5A-4OL</b>	280KW		<b>547A</b>	280kW(350HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz, tích hợp bàn phím, tích hợp cuộn kháng DC	<b>183,880,000</b>
<b>SV3150IP5A-4O</b>	315KW		<b>613A</b>	315kW(400HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz, tích hợp bàn phím	<b>354,430,000</b>
<b>SV3750IP5A-4O</b>	375KW		<b>731A</b>	375kW(500HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz, tích hợp bàn phím	<b>430,380,000</b>
<b>SV4500IP5A-4O</b>	450KW		<b>877A</b>	450kW(600HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz, tích hợp bàn phím	<b>458,360,000</b>
<b>Starvert iS7, 3 pha 380~480VAC</b>			<b>HD</b>	<b>ND</b>	: V/f, V/f PG, sensorless vector, sensed vector, CT/VT dual ratings, tích hợp RS485(LS Bus / Modbus RTU)
<b>SV0008IS7-4NO</b>	0.75 KW	<b>2.5A</b>	<b>4A</b>	0.75kW(1HP), 3 pha, 380~480VAC(+10%,-15%),50~60Hz (±5%), 0.01~400Hz, tích hợp transistor điều khiển điện trở thẳng	<b>6,960,000</b>
<b>SV0015IS7-4NO</b>	1.5 KW	<b>4A</b>	<b>6A</b>	1.5kW(2HP), 3 pha, 380~480VAC(+10%,-15%),50~60Hz (±5%), 0.01~400Hz, tích hợp transistor điều khiển điện trở thẳng	<b>7,280,000</b>
<b>SV0022IS7-4NO</b>	2.2KW	<b>6A</b>	<b>8A</b>	2.2kW(3HP), 3 pha, 380~480VAC(+10%,-15%),50~60Hz (±5%), 0.01~400Hz, tích hợp transistor điều khiển điện trở thẳng	<b>7,630,000</b>
<b>SV0037IS7-4NO</b>	3.7KW	<b>8A</b>	<b>12A</b>	3.7kW(5HP), 3 pha, 380~480VAC(+10%,-15%),50~60Hz (±5%), 0.01~400Hz, tích hợp transistor điều khiển điện trở thẳng	<b>7,820,000</b>
<b>SV0055IS7-4NO</b>	5.5KW	<b>12A</b>	<b>16A</b>	5.5kW(7.5HP), 3 pha,380~480VAC(+10%,-15%),50~60Hz (±5%), 0.01~400Hz, tích hợp transistor điều khiển điện trở thẳng	<b>8,940,000</b>



## iS7-4NO



## iS7-4NOD, 4NOFD

<b>SV0075IS7-4NO</b>	7.5KW	16A	24A	7.5kW(10HP), 3 pha, 380~480VAC(+10%,-15%),50~60Hz (±5%), 0.01~400Hz, tích hợp transistor điều khiển điện trở thẳng	<b>9,700,000</b>
<b>SV0110IS7-4NO</b>	11KW	24A	30A	11kW(15HP), 3 pha, 380~480VAC(+10%,-15%),50~60Hz (±5%), 0.01~400Hz, tích hợp transistor điều khiển điện trở thẳng	<b>14,990,000</b>
<b>SV0150IS7-4NO</b>	15KW	30A	39A	15kW(20HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz, tích hợp transistor điều khiển điện trở thẳng	<b>16,600,000</b>
<b>SV0185IS7-4NO</b>	18.5KW	39A	45A	18.5kW(25HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz, tích hợp transistor điều khiển điện trở thẳng	<b>20,520,000</b>
<b>SV0220IS7-4NO</b>	22KW	45A	61A	22kW(30HP), 3 pha, 380~480VAC(+10%,-15%),50~60Hz (±5%), 0.01~400Hz, tích hợp transistor điều khiển điện trở thẳng	<b>23,260,000</b>
<b>SV0300IS7-4NO</b>	30KW	62A	75A	30kW(40HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz	<b>34,750,000</b>
<b>SV0370IS7-4NO</b>	37KW	75A	91A	37kW(50HP), 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz	<b>37,740,000</b>
<b>SV0450IS7-4NO</b>	45KW	92A	110A	45kW(60HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz	<b>44,640,000</b>
<b>SV0550IS7-4NO</b>	55KW	111A	152A	55kW(75HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz	<b>49,450,000</b>
<b>SV0750IS7-4NO</b>	75KW	152A	183A	75kW(100HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz	<b>58,660,000</b>
<b>SV0110IS7-4NOFD</b>	11KW	24A	30A	11kW(15HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz, tích hợp transistor điều khiển điện trở thẳng, bộ lọc EMC, cuộn kháng DC	<b>18,830,000</b>
<b>SV0150IS7-4NOFD</b>	15KW	30A	39A	15kW(20HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz, tích hợp transistor điều khiển điện trở thẳng, bộ lọc EMC, cuộn kháng DC	<b>21,490,000</b>
<b>SV0220IS7-4NOFD</b>	22KW	45A	61A	22kW(30HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz, tích hợp transistor điều khiển điện trở thẳng, bộ lọc EMC, cuộn kháng DC	<b>30,030,000</b>
<b>SV0300IS7-4NOD</b>	30KW	65A	75A	30kW(40HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz, tích hợp cuộn kháng DC	<b>38,620,000</b>
<b>SV0450IS7-4NOD</b>	45KW	91A	110A	45kW(60HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz, tích hợp cuộn kháng DC	<b>50,790,000</b>
<b>SV0550IS7-4NOD</b>	55KW	110A	152A	55kW(75HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz, tích hợp cuộn kháng DC	<b>56,780,000</b>
<b>SV0750IS7-4NOD</b>	75KW	152A	183A	75kW(100HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz, tích hợp cuộn kháng DC	<b>64,380,000</b>
<b>SV0900IS7-4SOD</b>	90KW	183A	223A	90kW(125HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz, tích hợp cuộn kháng DC, bàn phím	<b>98,490,000</b>
<b>SV1100IS7-4SOD</b>	110KW	223A	264A	110kW(150HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz, tích hợp cuộn kháng DC, bàn phím	<b>104,530,000</b>
<b>SV1320IS7-4SOD</b>	132KW	264A	325A	132kW(175HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz, tích hợp cuộn kháng DC, bàn phím	<b>115,840,000</b>
<b>SV1600IS7-4SOD</b>	160KW	325A	370A	160kW(215HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz, tích hợp cuộn kháng DC, bàn phím	<b>149,250,000</b>
<b>SV1850IS7-4SOD</b>	185KW	370A	432A	185kW(250HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz, tích hợp cuộn kháng DC, bàn phím	<b>202,280,000</b>
<b>SV2200IS7-4SOD</b>	220KW	432A	547A	220kW(300HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz, tích hợp cuộn kháng DC, bàn phím	<b>212,930,000</b>
<b>SV2800IS7-4SO</b>	280KW	547A	613A	280kW(350HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz, bàn phím	<b>368,550,000</b>
<b>SV3150IS7-4SO</b>	315KW	613A	731A	315kW(400HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz, bàn phím	<b>451,900,000</b>
<b>SV3750IS7-4SO</b>	375KW	731A	877A	375kW(500HP), 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz, bàn phím	<b>485,860,000</b>

Starvert option : iP5A, iG5A, iS7

<b>SV-IP5A LCD Key pad</b>	LCD display keypad for iP5A	<b>570,000</b>
----------------------------	-----------------------------	----------------



## Key Pad

<b>SV-IS7 LCD Key pad</b>	Graphic LCD display keypad for iS7 (128x64 COG, 11 Rubber Key, 3 LED, IP21) - Multi Languages (English, Italian, Spanish, Russian, Turkish)	<b>990,000</b>
<b>Remote 2m (with LCD for SV-IG5A )</b>	2 meter connection cable between inverter and keypad plus a external keypad (Available for panel installation)	<b>540,000</b>
<b>Remote 3m (with LCD for SV-IG5A )</b>	3 meter connection cable between inverter and keypad plus a external keypad (Available for panel installation)	<b>600,000</b>
<b>Remote 5m (with LCD for SV-IG5A )</b>	5 meter connection cable between inverter and keypad plus a external keypad (Available for panel installation)	<b>680,000</b>
<b>Remote cable 2m (for IS7 )</b>	2 meter connection cable between inverter and keypad, plus Frame for keypad installation on panel door	<b>260,000</b>
<b>Remote cable 3m (for IS7 )</b>	3 meter connection cable between inverter and keypad, plus + Frame for keypad installation on panel door	<b>280,000</b>
<b>Remote cable 2m (for IP5A )</b>	2 meter connection cable between inverter and keypad, plus + Frame for keypad installation on panel door	<b>260,000</b>
<b>Remote cable 3m (for IP5A )</b>	3 meter connection cable between inverter and keypad, plus + Frame for keypad installation on panel door	<b>280,000</b>

\*\***HD**(Heavy Duty) Overload 150% 1min.

\*\***ND**(Normal Duty): Overload 110% or 120% 1min