



BẢNG GIÁ BIẾN TẦN LS - HÀN QUỐC

(Áp dụng từ ngày 20-04-2018)



Tên hàng	KW	HP	In (A)		Mô tả	Đơn giá (VNĐ)
Loại 1P 200~230VAC (Vào 1P ra 3P)			HD	ND	V/f, sensorless vector control, tích hợp bộ gắn điện trở thắng DBU, màn hình, RS485 (LS Bus / Modbus RTU) dùng cho các ứng dụng cơ bản (bơm, quạt, băng tải, máy đóng gói...)	
SV004IG5A-1	0.4KW	1/2HP	2.5A	-	1 pha, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím	3,380,000
SV008IG5A-1	0.75KW	1HP	5A	-		3,630,000
SV015IG5A-1	1.5KW	2HP	8A	-		4,090,000
Loại 3 pha 200~230VAC (Vào 3P ra 3P)			HD	ND	V/f, sensorless vector control, tích hợp DBU, màn hình, RS485 (LS Bus / Modbus RTU)	
SV004IG5A-2	0.4 KW	1/2HP	2.5A	-	 <p>3 pha, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím</p>	3,070,000
SV008IG5A-2	0.75 KW	1HP	5A	-		3,320,000
SV015IG5A-2	1.5 KW	2HP	8A	-		3,840,000
SV022IG5A-2	2.2KW	3HP	12A	-		4,430,000
SV037IG5A-2	3.7KW	5HP	16A	-		5,010,000
SV040IG5A-2	4KW	5.4HP	17A	-		5,010,000
SV055IG5A-2	5.5KW	7.5HP	24A	-		7,500,000
SV075IG5A-2	7.5KW	10HP	32A	-		8,390,000
SV110IG5A-2	11KW	15HP	46A	-		15,400,000
SV150IG5A-2	15KW	20HP	60A	-		17,770,000
SV185IG5A-2	18.5KW	25HP	74A	-		20,470,000
SV220IG5A-2	22KW	30HP	88A	-		24,290,000
Loại 3 pha 380~480VAC (Vào 3P ra 3P)			HD	ND		V/f, sensorless vector control, tích hợp DBU, màn hình, RS485 (LS Bus / Modbus RTU)
SV004IG5A-4	0.4 KW	1/2HP	1.25A	-	 <p>3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím</p>	3,300,000
SV008IG5A-4	0.75 KW	1HP	2.5A	-		3,480,000
SV015IG5A-4	1.5 KW	2HP	4A	-		3,820,000
SV022IG5A-4	2.2KW	3HP	6A	-		4,350,000
SV037IG5A-4	3.7KW	5HP	8A	-		5,170,000
SV040IG5A-4	4.0KW	5.4HP	9A	-		5,170,000
SV055IG5A-4	5.5KW	7.5HP	12A	-		7,270,000
SV075IG5A-4	7.5KW	10HP	16A	-		7,940,000
SV110IG5A-4	11KW	15HP	24A	-		13,800,000
SV150IG5A-4	15KW	20HP	30A	-		15,020,000
SV185IG5A-4	18.5KW	25HP	39A	-		17,830,000
SV220IG5A-4	22KW	30HP	45A	-		19,360,000
Remote 2m (with LCD for SV-IG5A)			Bàn phím dùng gắn ngoài kèm cáp kết nối loại 2 mét			560,000
Remote 3m (with LCD for SV-IG5A)			Bàn phím dùng gắn ngoài kèm cáp kết nối loại 3 mét			620,000
Remote 5m (with LCD for SV-IG5A)			Bàn phím dùng gắn ngoài kèm cáp kết nối loại 5 mét			700,000

- GHI CHÚ:

**HD(Heavy Duty): Overload 150% 1min.




**ND(Normal Duty): Overload 110% or 120% 1min

** Bảng giá đã bao gồm thuế VAT

BẢNG GIÁ BIẾN TẦN LS - HÀN QUỐC

(Áp dụng từ ngày 20-04-2018)



Tên hàng	KW	HP	In (A)	Mô tả	Đơn giá (VNĐ)	
Loại 1 pha 200~240VAC - IP20			HD	ND	Dòng M100 (thay thế cho dòng iE5 và iC5): Tích hợp Màn hình, bộ lọc EMC filter(C2)	
LSLV0004M100-1EOFNS	0.4KW	1/2HP	2.4A	-	 <p>1 phase, 200~240VAC(±10%), 50~60Hz(±5%), 0.1~400Hz (Standard I/O: 3 Digital Inputs, 1 Analog Input, 1 Analog Output, 1 Open Collector, 1 Relay)</p>	
LSLV0008M100-1EOFNS	0.75KW	1HP	4.2A	-		2,400,000
LSLV0015M100-1EOFNS	1.5KW	2HP	7.5A	-		2,550,000
LSLV0022M100-1EOFNS	2.2KW	3HP	10A	-		3,010,000
Loại 3 Pha 220~230VAC - IP20				ND	V/f, RS485 (LS Bus / Modbus RTU / BACnet / Metasys N2), Pulse train I/O, RTC(Real Time Clock), tích hợp màn hình (HAND/OFF/AUTO), USB Port/ Ứng dụng chuyên cho hệ HVAC, Bơm, Quạt....	
LSLV0008H100-2CONN	0.75kW	1HP		6A	 <p>3 phase, 200~240VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz, IP20, built-in Dynamic braking transistor, EMC Filter(C3)</p>	
LSLV0015H100-2CONN	1.5kW	2HP		9.6A		5,080,000
LSLV0022H100-2CONN	2.2kW	3HP		12A		5,410,000
LSLV0037H100-2CONN	3.7kW	5HP		18A		6,100,000
LSLV0055H100-2CONN	5.5kW	7.5HP		22A		6,860,000
LSLV0075H100-2CONN	7.5kW	10HP		30A		8,270,000
LSLV0110H100-2CONN	11kW	15HP		42A		9,430,000
LSLV0150H100-2CONN	15kW	20HP		59A		10,720,000
LSLV0185H100-2CONN	18.5kW	25HP		69A		14,430,000
Loại 3 Phase 380~480VAC - IP20, IP00				ND	V/f, RS485(LS Bus / Modbus RTU / BACnet / Metasys N2), Pulse train I/O, RTC(Real Time Clock), tích hợp màn hình (HAND/OFF/AUTO), USB Port/ Ứng dụng chuyên cho hệ HVAC, Bơm, Quạt....	
LSLV0008H100-4COFN	0.75kW	1HP		2.4A	 <p>3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz, IP20, built-in Dynamic braking transistor, EMC Filter(C3)</p>	
LSLV0015H100-4COFN	1.5kW	2HP		4A		5,370,000
LSLV0022H100-4COFN	2.2kW	3HP		6A		5,620,000
LSLV0037H100-4COFN	3.7kW	5HP		8A		6,060,000
LSLV0055H100-4COFN	5.5kW	7.5HP		12A		6,760,000
LSLV0075H100-4COFN	7.5kW	10HP		16A		7,640,000
LSLV0110H100-4COFN	11kW	15HP		24A		8,880,000
LSLV0150H100-4COFN	15kW	20HP		30A		9,980,000
LSLV0185H100-4COFN	18.5kW	25HP		38A		13,720,000
LSLV0220H100-4COFN	22kW	30HP		45A		16,370,000
LSLV0300H100-4COFN	30kW	40HP		61A		21,130,000
LSLV0370H100-4COND	37kW	50HP		75A		24,960,000
LSLV0450H100-4COND	45kW	60HP		91A		31,930,000
LSLV0550H100-4COND	55kW	75HP		107A	38,410,000	
LSLV0750H100-4COND	75kW	100HP		142A	44,860,000	
LSLV0900H100-4COND	90kW	125HP		169A	50,190,000	
LSLV1100H100-4COFD	110kW	150HP		223	60,930,000	
LSLV1320H100-4COFD	132kW	200HP		264	89,000,000	
LSLV1600H100-4COFD	160kW	250HP		325	94,000,000	
LSLV1850H100-4COFD	185kW	300HP		370	108,150,000	
LSLV2200H100-4COFD	220kW	350HP		432	124,000,000	
LSLV2500H100-4COFD	250kW	400HP		481	146,000,000	
LSLV3150H100-4COFD	315kW	500HP		613	165,000,000	
LSLV3550H100-4COFD	355kW	550HP		683	362,000,000	
LSLV4000H100-4COFD	400kW	650HP		770	400,000,000	
LSLV5000H100-4COFD	500kW	800HP		962	450,000,000	
					220kW(350HP), 3 phase, 380~500VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, IP00, built-in EMC Filter(C3), DC Reactor	494,000,000

- GHI CHÚ:

**HD(Heavy Duty) Overload 150% 1min.


**ND(Normal Duty): Overload 110% or 120% 1min

** Bảng giá đã bao gồm thuế VAT

BẢNG GIÁ BIẾN TẦN LS - HÀN QUỐC

(Áp dụng từ ngày 20-04-2018)





Tên hàng	KW	HP	In (A)		Mô tả	Đơn giá (VNĐ)
Loại 3 pha 380~480VAC			HD	ND	Built-in RS485 (LS Bus / Modbus RTU) / Ứng dụng cho các tải nặng như băng tải, máy nghiền, cầu trục..., N: Chưa có màn hình, D: Tích hợp DC Reactor, Tủ 0.75-22Kw tích hợp DBU	
SV0008IS7-4NO	0.75/1.5kw	1HP	2.5A	4A		6,960,000
SV0015IS7-4NO	1.5/2.2kw	2HP	4A	6A		7,280,000
SV0022IS7-4NO	2.2/3.7kw	3HP	6A	8A		7,630,000
SV0037IS7-4NO	3.7/4kw	5HP	8A	12A		7,820,000
SV0055IS7-4NO	5.5/7.5kw	7.5HP	12A	16A		8,940,000
SV0075IS7-4NO	7.5/11kw	10HP	16A	24A		9,700,000
SV0110IS7-4NO	11/15kw	15HP	24A	30A		14,990,000
SV0150IS7-4NO	15/18.5kw	20HP	30A	39A		16,600,000
SV0185IS7-4NO	18.5/22kw	25HP	39A	45A		20,520,000
SV0220IS7-4NO	22/30kw	30HP	45A	61A		23,260,000
SV0300IS7-4NO	30/37kw	40HP	62A	75A	3 pha, 380~480VAC(+10%,-15%), 50~60Hz (±5%), 0.01~400Hz, tích hợp transistor điều khiển điện trở thẳng	34,750,000
SV0370IS7-4NO	37/45kw	50HP	75A	91A		37,740,000
SV0450IS7-4NO	45/55kw	60HP	92A	110A		44,640,000
SV0550IS7-4NO	55/75kw	75HP	111A	152A		49,450,000
SV0750IS7-4NO	75/90kw	100HP	152A	183A		58,660,000
SV0008IS7-4NOFD	0.75/1.5kw	1HP	2.5A	4A		3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz, tích hợp transistor điều khiển điện trở thẳng, bộ lọc EMC, cuộn kháng DC
SV0015IS7-4NOFD	1.5/2.2kw	2HP	4A	6A	9,050,000	
SV0022IS7-4NOFD	2.2/3.7kw	3HP	6A	8A	9,450,000	
SV0037IS7-4NOFD	3.7/4kw	5HP	8A	12A	9,750,000	
SV0055IS7-4NOFD	5.5/7.5kw	7.5HP	12A	16A	11,250,000	
SV0075IS7-4NOFD	7.5/11kw	10HP	16A	24A	12,190,000	
SV0110IS7-4NOFD	11/15kw	15HP	24A	30A	18,830,000	
SV0150IS7-4NOFD	15/18.5kw	20HP	30A	39A	21,490,000	
SV0185IS7-4NOFD	18.5/22kw	25HP	39A	45A	26,620,000	
SV0220IS7-4NOFD	22/30kw	30HP	45A	61A	30,030,000	
SV0300IS7-4NOD	30/37kw	40HP	65A	75A	3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz, tích hợp cuộn kháng DC	38,620,000
SV0370IS7-4NOD	37/45kw	50HP	75A	91A		42,970,000
SV0450IS7-4NOD	45/55kw	60HP	91A	110A		50,790,000
SV0550IS7-4NOD	55/75kw	75HP	110A	152A		56,780,000
SV0750IS7-4NOD	75/90kw	100HP	152A	183A		64,380,000
SV0900IS7-4SOD	90/110kw	125HP	183A	223A	3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz, tích hợp cuộn kháng DC, bàn phím	98,490,000
SV1100IS7-4SOD	110/132kw	150HP	223A	264A		104,530,000
SV1320IS7-4SOD	132/160kw	175HP	264A	325A		115,840,000
SV1600IS7-4SOD	160/185kw	215HP	325A	370A		149,250,000
SV1850IS7-4SOD	185/220kw	250HP	370A	432A		202,280,000
SV2200IS7-4SOD	220/280kw	300HP	432A	547A		212,930,000
SV2800IS7-4SO	285/315kw	350HP	547A	613A	3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz, tích hợp bàn phím	368,550,000
SV3150IS7-4SO	315/375kw	400HP	613A	731A		451,900,000
SV3750IS7-4SO	375/450kw	500HP	731A	877A		485,860,000
SV-IS7 LCD Key pad					Bảng điều khiển (màn hình) màu dùng cho iS7 (đa ngôn ngữ: English, Italian, Spanish, Russian, Turkish)	1,020,000
Remote cable 2m (for IS7)					Cáp kết nối bảng điều khiển và biến tần iS7 loại 2 mét	270,000
Remote cable 3m (for IS7)					Cáp kết nối bảng điều khiển và biến tần iS7 loại 3 mét	290,000

BẢNG GIÁ BIẾN TẦN LS - HÀN QUỐC

(Áp dụng từ ngày 20-04-2018)



Tên hàng	KW	HP	In (A)		Mô tả	Đơn giá (VND)
Loại 1 Pha 200~230VAC			HD	ND	Điều khiển V/F, tích hợp bàn phím, biến trở điều chỉnh tốc độ Các ứng dụng cơ bản (bơm, quạt, băng tải, cửa thang máy...)	
SV004IE5-1	0.4KW	1/2HP	2.5A	-	1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz	1,810,000
SV004IE5-1C	0.4KW	1/2HP	2.5A	-	1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz, tích hợp RS485(Modbus RTU)	1,970,000
Loại 1 Pha 200~230VAC			HD	ND	Điều khiển V/f, sensorless vector control, tích hợp bàn phím/biến trở điều chỉnh tốc độ Các ứng dụng cơ bản, các máy công suất nhỏ.	
SV004iC5-1	0.4KW	1/2HP	2.5A	-	1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~400Hz 	2,400,000
SV008iC5-1	0.75KW	1HP	5A	-		2,550,000
SV015iC5-1	1.5KW	2HP	8A	-		3,010,000
SV022iC5-1	2.2KW	3HP	12A	-		3,290,000
Loại 3 pha 380~480VAC			HD	ND	V/f, sensorless vector control, VT drive, RS485(LS Bus)/ Ứng dụng chuyên cho Bơm, Quạt..., N: Chưa có màn hình, L: Tích hợp DC Reactor.	
SV055IP5A-4NE	5.5KW	7.5HP		12A		8,050,000
SV075IP5A-4NE	7.5KW	10HP		16A		9,230,000
SV110IP5A-4NE	11KW	15HP		24A		10,010,000
SV150IP5A-4NO	15KW	20HP		30A		15,480,000
SV185IP5A-4NO	18.5KW	25HP		39A		17,140,000
SV220IP5A-4NO	22KW	30HP		45A		21,200,000
SV300IP5A-4NO	30KW	40HP		61A		24,000,000
SV370IP5A-4O	37KW	50HP		75A		35,920,000
SV450IP5A-4O	45KW	60HP		91A		38,990,000
SV550IP5A-4O	55KW	75HP		110A		46,100,000
SV750IP5A-4O	75KW	100HP		152A	51,070,000	
SV900IP5A-4O	90KW	125HP		183A	60,560,000	
SV220IP5A-4NOL	22KW	30HP		45A	3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz, tích hợp cuộn kháng DC	23,190,000
SV300IP5A-4NOL	30KW	40HP		61A		26,080,000
SV370IP5A-4OL	37KW	50HP		75A	3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz, tích hợp bàn phím, cuộn kháng DC	39,890,000
SV450IP5A-4OL	45KW	60HP		91A		44,380,000
SV550IP5A-4OL	55KW	75HP		110A		52,470,000
SV750IP5A-4OL	75KW	100HP		152A		58,640,000
SV900IP5A-4OL	90KW	125HP		183A		66,490,000
SV1100IP5A-4OL	110KW	150HP		223A		93,090,000
SV1320IP5A-4OL	132KW	175HP		264A		98,820,000
SV1600IP5A-4OL	160KW	215HP		325A		109,530,000
SV2200IP5A-4OL	220KW	300HP		432A		154,530,000
SV2800IP5A-4OL	280KW	350HP		547A		189,400,000
SV3150IP5A-4O	315KW	400HP		613A	3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz, tích hợp bàn phím	365,060,000
SV3750IP5A-4O	375KW	500HP		731A		443,290,000
SV4500IP5A-4O	450KW	600HP		877A		472,110,000
Phụ kiện dùng cho iP5A:						
SV-IP5A LCD Key pad			Bảng điều khiển màn hình màu dùng cho iP5A			590,000
Remote cable 2m (for IP5A)			Cáp kết nối bảng điều khiển và biến tần iP5 loại 2 mét			270,000
Remote cable 3m (for IP5A)			Cáp kết nối bảng điều khiển và biến tần iP5 loại 3 mét			290,000

- **GHI CHÚ:** **HD(Heavy Duty) Overload 150% 1min.


**ND(Normal Duty): Overload 110% or 120% 1min

** Bảng giá đã bao gồm thuế VAT

BẢNG GIÁ BIẾN TẦN LS - HÀN QUỐC

(Áp dụng từ ngày 20-04-2018)



Tên hàng	KW	HP	In (A)		Mô tả	Đơn giá (VNĐ)
Loại 1 pha 200~240VAC (Protection degree IP20)			HD	ND	Semi-Dual rating, V/f, sensorless vector control, RS485 (LS Bus / Modbus RTU), Safety Torque off, Pulse train I/O/ Các ứng dụng cơ bản (bơm, quạt, băng tải, máy nén, máy cán...)	
LSLV0004S100-1EONNS	0.4/0.75kw	1/2HP	2.5A	-	1 phase, 200~240VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím, điện trở thẳng, control terminal I/O 5mm pitch	4,400,000
LSLV0008S100-1EONNS	0.75/1.5kw	1HP	5A	-		4,720,000
LSLV0015S100-1EONNS	1.5/2.2kw	2HP	8A	-		5,310,000
LSLV0022S100-1EONNS	2.2/3.7kw	3HP	11A	-		5,690,000
Loại 3 Pha 200~240VAC (Protection degree IP20)			HD	ND	Semi-Dual rating, V/f, sensorless vector control, RS485 (LS Bus / Modbus RTU), Safety Torque off, Pulse train I/O/ Các ứng dụng cơ bản (bơm, quạt, băng tải...)	
LSLV0004S100-2EONNS	0.4/0.75kw	1/2HP	2.5A	-	 3 phase, 200~240VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím, điện trở thẳng, control terminal I/O 5mm pitch	3,690,000
LSLV0008S100-2EONNS	0.75/1.5kw	1HP	5A	-		3,990,000
LSLV0015S100-2EONNS	1.5/2.2kw	2HP	8A	-		4,610,000
LSLV0022S100-2EONNS	2.2/3.7kw	3HP	11A	-		5,310,000
LSLV0037S100-2EONNS	3.7/4kw	5HP	16A	-		6,020,000
LSLV0040S100-2EONNS	4/5.5kw	5.4HP	17A	-		6,020,000
LSLV0055S100-2EONNS	5.5/7.5kw	7.5HP	24A	-		8,620,000
LSLV0075S100-2EONNS	7.5/11kw	10HP	32A	-		9,650,000
LSLV0110S100-2EONNS	11/15kw	15HP	46A	-		15,420,000
LSLV0150S100-2EONNS	15/18.5kw	20HP	60A	-		17,870,000
Loại 3 Pha 380~480VAC (Protection degree IP20)			HD	ND		Semi-Dual rating, V/f, sensorless vector control, RS485 (LS Bus / Modbus RTU), Safety Torque off, Pulse train I/O/ Các ứng dụng cơ bản (bơm, quạt, băng tải...)
LSLV0004S100-4EONNS	0.4/0.75kw	1/2HP	1.25A	-	3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím, điện trở thẳng, control terminal I/O 5mm pitch	3,960,000
LSLV0008S100-4EONNS	0.75/1.5kw	1HP	2.5A	-		4,180,000
LSLV0015S100-4EONNS	1.5/2.2kw	2HP	4A	-		4,580,000
LSLV0022S100-4EONNS	2.2/3.7kw	3HP	5.5A	-		5,210,000
LSLV0037S100-4EONNS	3.7/4kw	5HP	8A	-		6,210,000
LSLV0040S100-4EONNS	4/5.5kw	5.4HP	9A	-		6,210,000
LSLV0055S100-4EOFNS	5.5/7.5kw	7.5HP	12A	-	3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím, điện trở thẳng, EMC filter(C3), control terminal I/O 5mm pitch	8,360,000
LSLV0075S100-4EOFNS	7.5/11kw	10HP	16A	-		9,130,000
LSLV0110S100-4EOFNS	11/15kw	15HP	24A	-		14,670,000
LSLV0150S100-4EOFNS	15/18.5kw	20HP	30A	-		16,240,000
LSLV0185S100-4EOFNS	18.5/22kw	25HP	39A	-		19,020,000
LSLV0220S100-4EOFNS	22/30kw	30HP	45A	-		21,560,000
LSLV0300S100-4CONDNS	30/37kw	40HP	61A	-	3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, detachable LCD keypad, built-in DC reactor, control terminal I/O 5mm pitch	33,810,000
LSLV0370S100-4CONDNS	37/45kw	50HP	75A	-		38,070,000
LSLV0450S100-4CONDNS	45/55kw	60HP	91A	-		43,410,000
LSLV0550S100-4CONDNS	55/75kw	75HP	110A	-		49,710,000
LSLV0750S100-4CONDNS	75/90kw	100HP	152A	-		54,370,000
Loại 3 Pha 200~230VAC (Protection degree IP66 (NEMA4X))			HD	ND	Semi-Dual rating, V/f, sensorless vector control, RS485 (LS Bus / Modbus RTU), Safety Torque off, Pulse train I/O/ Các ứng dụng cơ bản (bơm, quạt, băng tải...)	

BẢNG GIÁ BIẾN TẦN LS - HÀN QUỐC

(Áp dụng từ ngày 20-04-2018)



Tên hàng	KW	HP	In (A)		Mô tả	Đơn giá (VNĐ)
LSLV0004S100-2EXNNS	0.4/0.75kw	1/2HP	2.5A	-	3 phase, 200~240VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím, điện trở thẳng, control terminal I/O 5mm pitch	7,370,000
LSLV0008S100-2EXNNS	0.75/1.5kw	1HP	5A	-		7,970,000
LSLV0015S100-2EXNNS	1.5/2.2kw	2HP	8A	-		9,220,000
LSLV0022S100-2EXNNS	2.2/3.7kw	3HP	11A	-		10,620,000
LSLV0037S100-2EXNNS	3.7/4kw	5HP	16A	-		10,830,000
LSLV0040S100-2EXNNS	4/5.5kw	5.4HP	17A	-		10,830,000
LSLV0055S100-2EXNNS	5.5/7.5kw	7.5HP	24A	-		13,800,000
LSLV0075S100-2EXNNS	7.5/11kw	10HP	32A	-		15,440,000
LSLV0110S100-2EXNNS	11/15kw	15HP	46A	-		23,120,000
LSLV0150S100-2EXNNS	15/18.5kw	20HP	60A	-		26,810,000
Loại 3 Phase 380~480VAC (Protection degree IP66 (NEMA4X))			HD	ND	Semi-Dual rating, V/f, sensorless vector control, RS485 (LS Bus / Modbus RTU), Safety Torque off, Pulse train I/O/ Các ứng dụng cơ bản (bơm, quạt, băng tải...)	
LSLV0004S100-4EXNNS	0.4/0.75kw	1/2HP	1.25A	-	3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím, điện trở thẳng, control terminal I/O 5mm pitch	7,900,000
LSLV0008S100-4EXNNS	0.75/1.5kw	1HP	2.5A	-		8,360,000
LSLV0015S100-4EXNNS	1.5/2.2kw	2HP	4A	-		9,170,000
LSLV0022S100-4EXNNS	2.2/3.7kw	3HP	5.5A	-		10,420,000
LSLV0037S100-4EXNNS	3.7/4kw	5HP	8A	-		11,180,000
LSLV0040S100-4EXNNS	4/5.5kw	5.4HP	9A	-		11,180,000
LSLV0055S100-4EXNNS	5.5/7.5kw	7.5HP	12A	-		12,550,000
LSLV0075S100-4EXNNS	7.5/11kw	10HP	16A	-		13,910,000
LSLV0110S100-4EXNNS	11/15kw	15HP	24A	-		19,670,000
LSLV0150S100-4EXNNS	15/18.5kw	20HP	30A	-		21,730,000
LSLV0185S100-4EXNNS	18.5/22kw	25HP	39A	-		24,060,000
LSLV0220S100-4EXNNS	22/30kw	30HP	45A	-		26,130,000
Phụ kiện dùng cho LSLV S100:						
CANOpen(LSLV-S100),CCAN-S100						2,080,000
Profibus-DP(LSLV-S100),CPDP-S100						3,230,000
Ethernet(LSLV-S100),CENT-S100						1,850,000

- GHI CHÚ:

**HD(Heavy Duty) Overload 150% 1min.

**ND(Normal Duty): Overload 110% or 120% 1min

** Bảng giá đã bao gồm thuế VAT

BẢNG GIÁ BIẾN TẦN LS - HÀN QUỐC

(Áp dụng từ ngày 20-04-2018)



Tên hàng	Mô tả	Đơn giá (VND)
Dynamic Braking Unit (DBU) Bộ Transistor để gắn Điện trở xả vào.		
Dynamic Braking Unit (DBU) - 200~230V		
LSLV0150DBU-2LN	Brake unit for 15kW, 220V / 150% Average Braking Torque / 5~10%ED (Enable Duty)	3,150,000
LSLV0220DBU-2LN	Brake unit for 22kW, 220V / 150% Average Braking Torque / 5~10%ED (Enable Duty)	3,650,000
LSLV0370DBU-2LN	Brake unit for 37kW, 220V / 150% Average Braking Torque / 5~10%ED (Enable Duty)	4,360,000
LSLV0370DBU-2HN	Brake unit for 37kW, 220V / 150% Average Braking Torque / 5~50%ED (Enable Duty)	10,040,000
LSLV0750DBU-2LN	Brake unit for 75kW, 220V / 150% Average Braking Torque / 5~10%ED (Enable Duty)	5,630,000
LSLV0750DBU-2HN	Brake unit for 75kW, 220V / 150% Average Braking Torque / 5~50%ED (Enable Duty)	14,350,000
LSLV0900DBU-2HN	Brake unit for 90kW, 220V / 150% Average Braking Torque / 5~50%ED (Enable Duty)	16,070,000
Dynamic Braking Unit (DBU) - 380~400V		
LSLV0150DBU-4LN	Brake unit for 15kW, 440V / 150% Average Braking Torque / 5~10%ED (Enable Duty)	3,150,000
LSLV0220DBU-4LN	Brake unit for 22kW, 440V / 150% Average Braking Torque / 5~10%ED (Enable Duty)	3,650,000
LSLV0370DBU-4LN	Brake unit for 37kW, 440V / 150% Average Braking Torque / 5~10%ED (Enable Duty)	4,360,000
LSLV0370DBU-4HN	Brake unit for 37kW, 440V / 150% Average Braking Torque / 5~50%ED (Enable Duty)	9,570,000
LSLV0750DBU-4LN	Brake unit for 75kW, 440V / 150% Average Braking Torque / 5~10%ED (Enable Duty)	5,630,000
LSLV0750DBU-4HN	Brake unit for 75kW, 440V / 150% Average Braking Torque / 5~50%ED (Enable Duty)	13,670,000
INV,SV750DB-4	Brake unit for 75kW, 440V / 150% Average Braking Torque / 100%ED (Enable Duty), CE certificated	14,390,000
LSLV0900DBU-4HN	Brake unit for 90kW, 440V / 150% Average Braking Torque / 5~50%ED (Enable Duty)	15,310,000
LSLV1320DBU-4HN	Brake unit for 132kW, 440V / 150% Average Braking Torque / 5~50%ED (Enable Duty)	17,140,000
LSLV1600DBU-4HN	Brake unit for 160kW, 440V / 150% Average Braking Torque / 5~50%ED (Enable Duty)	19,200,000
LSLV2200DBU-4HN	Brake unit for 220kW, 440V / 150% Average Braking Torque / 5~50%ED (Enable Duty)	19,930,000
INV,SV2200DB-4	Brake unit for 220kW, 440V / 150% Average Braking Torque / 100%ED (Enable Duty), CE certificated	20,980,000
External brake resistors (Điện trở xả)		
Temperature range: -50~200°C , Insulation resistance: over 100MΩ, Dielectric strength: AC 2,500V / 1 Min, Temperature coefficient: ±260 ppm / °C max		
MCRA 50W 1.8K OHM J	50 wat, 1800ohm resistor (Based on 5% ED (Enable duty))	110,000
MCRA 100W 1.2K OHM J	100 wat, 1200ohm resistor (Based on 5% ED (Enable duty))	120,000
MCRA 200W 1.2K OHM J	200 wat, 1200ohm resistor (Based on 5% ED (Enable duty))	210,000
MCRA 100W 900 OHM J	100 wat, 900ohm resistor (Based on 5% ED (Enable duty))	120,000
MCRA 150W 600 OHM J	150 wat, 600ohm resistor (Based on 5% ED (Enable duty))	150,000
MCRA 200W 450 OHM J	200 wat, 450ohm resistor (Based on 5% ED (Enable duty))	210,000
MCRA 50W 400 OHM J	50 wat, 400ohm resistor (Based on 5% ED (Enable duty))	110,000
MCRA 100W 300 OHM J	100 wat, 300ohm resistor (Based on 5% ED (Enable duty))	120,000
MCRA 200W 300 OHM J	200 wat, 300ohm resistor (Based on 5% ED (Enable duty))	210,000
MCRA 100W 200 OHM J	100 wat, 200ohm resistor (Based on 5% ED (Enable duty))	120,000
MCRA 150W 150 OHM J	150 wat, 150ohm resistor (Based on 5% ED (Enable duty))	150,000
MCRA 200W 100 OHM J	200 wat, 100ohm resistor (Based on 5% ED (Enable duty))	210,000
MCRF 300W 600 OHM J	300 wat, 600ohm resistor (Based on 5% ED (Enable duty))	360,000

BẢNG GIÁ BIẾN TẦN LS - HÀN QUỐC

(Áp dụng từ ngày 20-04-2018)



Tên hàng		Mô tả	Đơn giá (VNĐ)
	MCRF 300W 300 OHM J	300 wat, 300ohm resistor (Based on 5% ED (Enable duty))	360,000
	MCRF 600W 300 OHM J	600 wat, 300ohm resistor (Based on 5% ED (Enable duty))	520,000
	MCRF 400W 200 OHM J	400 wat, 200ohm resistor (Based on 5% ED (Enable duty))	440,000
	MCRF 800W 200 OHM J	800 wat, 200ohm resistor (Based on 5% ED (Enable duty))	580,000
	MCRF 300W 150 OHM J	300 wat, 150ohm resistor (Based on 5% ED (Enable duty))	360,000
	MCRF 600W 130 OHM J	600 wat, 130ohm resistor (Based on 5% ED (Enable duty))	520,000
	MCRF 1.2kW 130 OHM J	1200 wat, 130ohm resistor (Based on 5% ED (Enable duty))	720,000
	MCRF 700W 120 OHM J	700 wat, 120ohm resistor (Based on 5% ED (Enable duty))	570,000
	MCRF 1kW 90 OHM J	1000 wat, 90ohm resistor (Based on 5% ED (Enable duty))	620,000
	MCRF 1kW 85 OHM J	1000 wat, 85ohm resistor (Based on 5% ED (Enable duty))	620,000
	MCRF 2kW 85 OHM J	2000 wat, 85ohm resistor (Based on 5% ED (Enable duty))	1,190,000
	MCRF 300W 60 OHM J	300 wat, 60ohm resistor (Based on 5% ED (Enable duty))	360,000
	MCRF 600W 60 OHM J	600 wat, 60ohm resistor (Based on 5% ED (Enable duty))	520,000
	MCRF 1.2kW 60 OHM J	1200 wat, 60ohm resistor (Based on 5% ED (Enable duty))	720,000
	MCRF 400W 50 OHM J	400 wat, 50ohm resistor (Based on 5% ED (Enable duty))	440,000
	MCRF 800W 50 OHM J	800 wat, 50ohm resistor (Based on 5% ED (Enable duty))	580,000
	MCRF 2kW 45 OHM J	2000 wat, 45ohm resistor (Based on 5% ED (Enable duty))	1,190,000
	MCRF 500W 40 OHM J	500 wat, 40ohm resistor (Based on 5% ED (Enable duty))	470,000
	MCRF 2kW 40 OHM J	2000 wat, 40ohm resistor (Based on 5% ED (Enable duty))	1,190,000
	MCRF 1.6kW 33.9 OHM J	1600 wat, 33.9ohm resistor (Based on 5% ED (Enable duty))	910,000
	MCRF 600W 33 OHM J	600 wat, 33ohm resistor (Based on 5% ED (Enable duty))	520,000
	MCRF 1.2kW 33 OHM J	1200 wat, 33ohm resistor (Based on 5% ED (Enable duty))	720,000
	MCRF 800W 20 OHM J	800 wat, 20ohm resistor (Based on 5% ED (Enable duty))	580,000
	MCRF 1.6kW 20 OHM J	1600 wat, 20ohm resistor (Based on 5% ED (Enable duty))	910,000
	MCRF 1.2kW 15 OHM J	1200 wat, 15ohm resistor (Based on 5% ED (Enable duty))	720,000
	MCRF 1.6kW 8.5 OHM J	1600 wat, 8.5ohm resistor (Based on 5% ED (Enable duty))	910,000
	MCRS 2.4kW 60 OHM J	2400 wat, 60ohm resistor (Based on 5% ED (Enable duty))	1,750,000
	MCRS 2.4kW 35 OHM J	2400 wat, 35ohm resistor (Based on 5% ED (Enable duty))	1,750,000
	MCRS 2.4kW 30 OHM J	2400 wat, 30ohm resistor (Based on 5% ED (Enable duty))	1,750,000
	MCRS 2.4kW 22.8 OHM J	2400 wat, 22.8ohm resistor (Based on 5% ED (Enable duty))	1,750,000
	MCRS 2.4kW 15 OHM J	2400 wat, 15ohm resistor (Based on 5% ED (Enable duty))	1,750,000
	MCRS 2.4kW 10 OHM J	2400 wat, 10ohm resistor (Based on 5% ED (Enable duty))	1,750,000
	MCRS 2.4kW 8 OHM J	2400 wat, 8ohm resistor (Based on 5% ED (Enable duty))	1,750,000
	MCRS 2.4kW 5.7 OHM J	2400 wat, 5.7ohm resistor (Based on 5% ED (Enable duty))	1,750,000
Brake resistors (Case package type with thermostat sensor)		Temperature range: -50~200°C , Insulation resistance: over 20MΩ, Dielectric strength: AC 2,500V / 1 Min, Temperature coefficient: ±260 ppm / °C max, Thermostat sensor: B contact	
	MCRF-ST 1.2kW 60 OHM J	1200 watt, 60 ohm resistor,	2,390,000
	MCRF-ST 2kW 45 OHM J	2000 watt, 45 ohm resistor	2,780,000
	MCRF-ST 2kW 40 OHM J	2000 watt, 40 ohm resistor	2,780,000

BẢNG GIÁ BIẾN TẦN LS - HÀN QUỐC

(Áp dụng từ ngày 20-04-2018)



Tên hàng	Mô tả	Đơn giá (VNĐ)
MCRF-ST 4kW 40 OHM J	4000 watt, 40 ohm resistor	4,700,000
MCRF-ST 2.4kW 35 OHM	2400 watt, 35 ohm resistor	3,280,000
MCRF-ST 1.6kW 33.9 OHM J	1600 watt, 33.9 ohm resistor	2,780,000
MCRF-ST 2.4kW 30 OHM J	2400 watt, 30 ohm resistor	3,280,000
MCRF-ST 4.8kW 30 OHM J	4800 watt, 30 ohm resistor	5,620,000
MCRF-ST 2.4kW 22.8 OHM J	2400 watt, 30 ohm resistor	3,280,000
MCRF-ST 3.6kW 20 OHM J	3600 watt, 20 ohm resistor	4,150,000
MCRF-ST 7.2kW 20 OHM J	7200 watt, 20 ohm resistor	6,840,000
MCRF-ST 3.2kW 16.9 OHM J	3200 watt, 16.9 ohm resistor	4,150,000
MCRF-ST 1.2kW 15 OHM J	1200 watt, 15 ohm resistor	2,390,000
MCRF-ST 5kW 12 OHM J	5000 watt, 12 ohm resistor	5,620,000
MCRF-ST 10kW 12 OHM J	10000 watt, 12 ohm resistor	9,570,000
MCRF-ST 4.8kW 11.4 OHM J	4800 watt, 11.4 ohm resistor	5,620,000
MCRF-ST 2.4kW 10 OHM J	2400 watt, 10 ohm resistor	3,280,000
MCRF-ST 4.8kW 10 OHM J	4800 watt, 10 ohm resistor	5,620,000
MCRF-ST 6.4kW 10 OHM J	6400 watt, 10 ohm resistor	6,800,000
MCRF-ST 12.8kW 10 OHM J	12800 watt, 10 ohm resistor	12,200,000
MCRF-ST 1.6kW 8.5 OHM J	1600 watt, 8.5 ohm resistor	2,780,000
MCRF-ST 6.4kW 8.4 OHM J	6400 watt, 8.4 ohm resistor	6,800,000
MCRF-ST 7.2kW 8.4 OHM J	7200 watt, 8.4 ohm resistor	6,840,000
MCRF-ST 14.4kW 8.4 OHM J	14400 watt, 8.4 ohm resistor	12,670,000
MCRF-ST 2.4kW 8 OHM J	2400 watt, 8 ohm resistor	3,280,000
MCRF-ST 4.8kW 8 OHM J	4800 watt, 8 ohm resistor	5,620,000
MCRF-ST 10kW 6 OHM J	10000 watt, 6 ohm resistor	9,570,000
MCRF-ST 20kW 6 OHM J	20000 watt, 6 ohm resistor	17,820,000
MCRF-ST 2.4kW 5.7 OHM J	2400 watt, 5.7 ohm resistor	3,280,000
MCRF-ST 3.6kW 5 OHM J	3600 watt, 5 ohm resistor	4,150,000
MCRF-ST 7.2kW 5 OHM J	7200 watt, 5 ohm resistor	6,840,000
MCRF-ST 13kW 5 OHM J	13000 watt, 5 ohm resistor	12,200,000
MCRF-ST 26kW 5 OHM J	26000 watt, 5 ohm resistor	24,860,000
MCRF-ST 3.2kW 4.2 OHM J	3200 watt, 4.2 ohm resistor	4,150,000
MCRF-ST 16kW 4 OHM J	16000 watt, 4 ohm resistor	16,420,000
MCRF-ST 32kW 4 OHM J	32000 watt, 4 ohm resistor	29,550,000
MCRF-ST 20kW 3.4 OHM J	20000 watt, 3.4 ohm resistor	17,820,000
MCRF-ST 40kW 3.4 OHM J	40000 watt, 3.4 ohm resistor	34,710,000
MCRF-ST 5kW 3 OHM J	5000 watt, 3 ohm resistor	5,620,000
MCRF-ST 10kW 3 OHM J	10000 watt, 3 ohm resistor	9,570,000
MCRF-ST 4.8kW 2.8 OHM J	4800 watt, 2.8 ohm resistor	5,620,000
MCRF-ST 24kW 2.8 OHM J	24000 watt, 2.8 ohm resistor	23,450,000

BẢNG GIÁ BIẾN TẦN LS - HÀN QUỐC

(Áp dụng từ ngày 20-04-2018)



Tên hàng	Mô tả	Đơn giá (VND)
MCRF-ST 48kW 2.8 OHM J	48000 watt, 2.8 ohm resistor	42,210,000
MCRF-ST 6kW 2.4 OHM J	6000 watt, 2.4 ohm resistor	6,330,000
MCRF-ST 12kW 2.4 OHM J	12000 watt, 2.4 ohm resistor	11,720,000
MCRF-ST 26kW 2.4 OHM J	26000 watt, 2.4 ohm resistor	24,860,000
MCRF-ST 52kW 2.4 OHM J	52000 watt, 2.4 ohm resistor	57,690,000
MCRF-ST 7.5kW 2 OHM J	7500 watt, 2 ohm resistor	7,510,000
MCRF-ST 15kW 2 OHM J	15000 watt, 2 ohm resistor	12,670,000
MCRF-ST 30kW 2 OHM J	30000 watt, 2 ohm resistor	26,970,000
MCRF-ST 60kW 2 OHM J	60000 watt, 2 ohm resistor	60,980,000
MCRF-ST 10kW 1.5 OHM J	10000 watt, 1.5 ohm resistor	9,570,000
MCRF-ST 20kW 1.5 OHM J	20000 watt, 1.5 ohm resistor	17,820,000
MCRF-ST 13kW 1.2 OHM J	13000 watt, 1.2 ohm resistor	12,200,000
MCRF-ST 26kW 1.2 OHM J	26000 watt, 1.2 ohm resistor	24,860,000

** Bảng giá đã bao gồm thuế VAT

 LIEN MINH NGUYEN	LIEN MINH NGUYEN ELECTRIC TRADING ENGINEERING COMPANY
	Office: No.14 Str 15, Binh An Ward, District 2, Ho Chi Minh City Tel: 08. 3740. 7537 - Fax: 08. 3740. 6537 - H/P: 0902.22.11.34 Web: www.bandodien.com - Email: lienminhnguyen@bandodien.com
     	